EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
ij	1	"6734991"	US-PGPUB; USPAT; USOCR	AND	NO	2007/09/17 09:27
2	-	("20050179948").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/17 11:17
ៗ	4	("5200821" "5293430" "5621519" "5822470").PN. OR ("6734991").URPN.	US-PGPUB; USPAT; USOCR	AND	NO	2007/09/17 11:17
4	-	("6734991").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/17 11:17
5	32	("4194221" "4630125" "4633327").PN. OR ("4758897").URPN.	US-PGPUB; USPAT; USOCR	AND	NO	2007/09/17 11:17
97	56	L5 and multipl\$4	US-PGPUB; USPAT; USOCR	AND	NO O	2007/09/17 11:17
[7]	4	("5200821" "5293430" "5621519" "5822470").PN. OR ("6734991").URPN.	US-PGPUB; USPAT; USOCR	AND	NO	2007/09/17 11:17
89	91	358/3.08.ccls.	US-PGPUB; USPAT; USOCR	AND	N O	2007/09/17 11:17
ഉ	→ .	("6734991").PN.	US-PGPUB; USPAT	S S	OFF	2007/09/17 11:17
L10	547	358/3.06.ccls.	US-PGPUB; USPAT; USOCR	AND	N O	2007/09/17 11:17
111	91	358/3.08.ccls.	US-PGPUB; USPAT; USOCR	AND	NO	2007/09/17 11:17

9/17/2007 11:26:05 AM C:\Documents and Settings\Ntyler\My Documents\EAST\Workspaces\10776612.wsp

EAST Search History

2007/09/17 11:17	= 2007/09/17 11:17	2007/09/17 11:17	2007/09/17 11:17	2007/09/17 11:17	2007/09/17 11:17	2007/09/17 11:17	2007/09/17 11:17	2007/09/17 11:17	2007/09/17 11:17	2007/09/17 11:17	2007/09/17 11:17	2007/09/17 11:17
NO	OFF	N O	NO NO	NO TO	NO	NO O	O	O	O	O	O	8 O
AND	S S	AND	AND	AND	AND	AND	AND	AND	AND	AND	AND	AND
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB, USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
358/3.07.ccls.	("20050179948").PN.	358/3.07.ccls.	358/3.06.cds.	(L12 or L11 or L15) and estimat\$4 near4 frequenc\$4	(L12 or L11 or L15) and estimat\$4 near4 frequenc\$4 and multipl\$6	(L12 or L11 or L15) and estimat\$4 near4 frequenc\$4 same multipl\$6	"6157415".pn.	"6983076".pn.	"4758897".pn.	(358/3.07 or 358/3.08).ccls.	(halftone\$4 or half\$1tone or half adj tone).ab. and estimat\$4 near4 frequenc\$4 or period	(halftone\$4 or half\$1tone or half adj tone).ab. and estimat\$4 near4 (frequenc\$4 or period)
146	T	146	547	24	20	m				231	1709020	40
L12	L13	114	. L.15	L16	L17	L18	119	170	121	122	173	124

9/17/2007 11:26:05 AM C:\Documents\EAST\Workspaces\10776612.wsp

EAST Search History

175	164	L22 and multipl\$6	US-PGPUB; USPAT	AND	NO	2007/09/17 11:17
176		"6324305".pn.	US-PGPUB; USPAT	AND	NO	2007/09/17 11:17
127	H	"5268773".pn.	US-PGPUB; USPAT	AND	NO	2007/09/17 11:17
178	15	("5343251" "5410619" "5659399" "5729632" "5754681" "5765029" "5778156" "5828776" "6021220").PN. OR ("6229923").URPN.	US-PGPUB; USPAT; USOCR	AND	NO	2007/09/17 11:17
173	40	(halftone\$4 or half\$1tone or half adj tone).ab. and estimat\$4 near4 (frequenc\$4 or period)	US-PGPUB; USPAT	AND	NO	2007/09/17 11:17
130	22	L29 and weight\$5	US-PGPUB; USPAT; USOCR	AND	NO	2007/09/17 11:17
L31	38	("4561022" "4761819" "4783840" "4811239" "4893195" "4903142" "4953013" "4953013" "5038388" "5091967" "5166810" "5239390").PN. OR ("5343309").URPN.	US-PGPUB; USPAT; USOCR	AND	NO	2007/09/17 11:17
L32	13	L29 and weight	US-PGPUB; USPAT; USOCR	AND	NO	2007/09/17 11:17
L33	259	(halftone\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or period)	US-PGPUB; USPAT	AND	NO	2007/09/17 11:17
134	24963	(halftone\$4 or half\$1tone or half adj tone) not (halftone\$4 or half\$1tone or half adj tone).ab.	US-PGPUB; USPAT	AND	NO	2007/09/17 11:17
135	259	L33 and estimat\$4 near4 (frequenc\$4 or period)	US-PGPUB; USPAT	AND	NO	2007/09/17 11:17
136	6147	(358/1.9,3.06,3.2,534-536).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/17 11:17
L37	35724	(halfton\$4 or half\$1tone or half ton\$4 or screen\$3 or pattern or matrix or array or mask\$3 or template or tile) with (estimat\$4 or determin\$5 or calculat\$3 or approximat\$3 or measur\$5 or judg\$5 or deduc\$4) with (frequenc\$4 or period)	US-PGPUB; USPAT	ADJ	NO	2007/09/17 11:17
138	302	L36 and L37	US-PGPUB; USPAT	ADJ	NO	2007/09/17 11:17
9/17/200	9/17/2007 11:26:05 AM					Page 3

9/17/2007 11:26:05 AM C:\Documents and Settings\Ntyler\My Documents\EAST\Workspaces\10776612.wsp

Page 3

EAST Search History

657	40	(halftone\$4 or half\$1tone or half adj tone).ab. and estimat\$4 near4 (frequenc\$4 or period)	US-PGPUB; USPAT	AND	NO	2007/09/17 11:17
L40	0	("s33andl1").PN.	US-PGPUB; USPAT	OR	OFF.	2007/09/17 11:17
[41	12	L36 and L39	US-PGPUB; USPAT	AND	NO	2007/09/17 11:17
L42	18763	(halfton\$4 or half\$1tone or half ton\$4 or screen\$3 or pattern or matrix or array or mask\$3 or template or tile) with (estimat\$4 or determin\$5 or calculat\$3 or approximat\$3 or measur\$5 or judg\$5 or deduc\$4) near4 (frequenc\$4 or period)	US-PGPUB; USPAT	ADJ	NO	2007/09/17 11:17
L43	183	L36 and L42	US-PGPUB; USPAT	ADJ	NO	2007/09/17 11:17
4	410	(345/596-599).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/17 11:17
L45	9	L42 and L44	US-PGPUB; USPAT	AND	NO	2007/09/17 11:17
L46	3882	(halfton\$4 or half\$1tone or half ton\$4 or screen\$3 or pattern or matrix or array or mask\$3 or template or tile) with (estimat\$4 or determin\$5 or calculat\$3 or approximat\$3 or measur\$5 or judg\$5 or deduc\$4) near4 (frequenc\$4 or period)	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	N O	2007/09/17 11:17
L47	31	(halfton\$4 or half\$1tone or half ton\$4 or screen\$3) with (estimat\$4) near4 (frequenc\$4 or period)	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	N _O	2007/09/17 11:17
L48	49294	("35" or "382").clas.	US-PGPUB; USPAT	ADJ	NO	2007/09/17 11:17
1.49	. 24	L39 and L48	US-PGPUB; USPAT	ADJ	NO	2007/09/17 11:17
L50	917	L42 and L48	US-PGPUB; USPAT	ADJ	NO O	2007/09/17 11:17

9/17/2007 11:26:05 AM C:\Documents and Settings\Ntyler\My Documents\EAST\Workspaces\10776612.wsp

EAST Search History

9/17/2007 11:26:05 AM C:\Documents and Settings\Ntyler\My Documents\EAST\Workspaces\10776612.wsp

997	540	xerographic.clm. and xerox.as. and @py<="2002"	US-PGPUB; USPAT	AND	NO O	2007/09/17 11:18
797	69	(halftone\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or period) and interpolat\$5	US-PGPUB; USPAT	AND	NO	2007/09/17 11:18
S1	-	("6734991").PN.	US-PGPUB; USPAT	OR	H.O	2007/03/13 17:26
		("20050179948").PN.	US-PGPUB; USPAT	OR	OFF	2007/03/13 17:27
S	4	("5200821" "5293430" "5621519" "5822470").PN. OR ("6734991").URPN.	US-PGPUB; USPAT; USOCR	AND	NO .	2007/03/13 18:52
S4	-	("20050179948").PN.	US-PGPUB; USPAT	OR	OFF	2007/03/14 11:07
S5	143	358/3.07.cds.	US-PGPUB; USPAT; USOCR	AND	NO	2007/03/14 11:07
95	4	("5200821" "5293430" "5621519" "5822470").PN. OR ("6734991").URPN.	US-PGPUB; USPAT; USOCR	AND	NO	2007/03/14 11:07
22		("6734991").PN.	US-PGPUB; USPAT	OR	OFF	2007/03/14 11:07
88	98	358/3.08.ccls.	US-PGPUB; USPAT; USOCR	AND	NO	2007/03/14 11:07
S9	491	358/3.06.ccls.	US-PGPUB; USPAT; USOCR	AND	NO .	2007/03/14 11:07
S10	143	358/3.07.ccls.	US-PGPUB; USPAT; USOCR	AND	NO	2007/03/14 11:07
S11	98	358/3.08.ccls.	US-PGPUB; USPAT; USOCR	AND	NO	2007/03/14 11:07
0147/20	MA 30.36.11 5000/51/0	IM				4

9/17/2007 11:26:05 AM C:\Documents\EAST\Workspaces\10776612.wsp

EAST Search History

S12	491	358/3.06.ccls.	US-PGPUB;	AND	NO	2007/03/14 11:09
			USPAT; USOCR		:	
S13	21	(S10 or S11 or S12) and estimat\$4 near4 frequenc\$4	US-PGPUB; USPAT; USOCR	AND	. NO	2007/03/14 13:49
S14	m	(S10 or S11 or S12) and estimat\$4 near4 frequenc\$4 same multipl\$6	US-PGPUB; USPAT; USOCR	AND	NO	2007/03/22 15:37
S15	17	(S10 or S11 or S12) and estimat\$4 near4 frequenc\$4 and multipl\$6	US-PGPUB; USPAT; USOCR	AND	N	2007/03/14 13:52
S16	31	("4194221" "4630125" "4633327").PN. OR ("4758897").URPN.	US-PGPUB; USPAT; USOCR	AND.	N O	2007/03/14 15:42
S17	25	S16 and multipl\$4	US-PGPUB; USPAT; USOCR	AND	NO	2007/03/14 15:59
S23	H	"4758897".pn.	US-PGPUB; USPAT	AND	NO	2007/03/16 14:39
S24	н	"6157415".pn.	US-PGPUB; USPAT	AND	NO	2007/03/16 15:04
S25	H	"6983076".pn.	US-PGPUB; USPAT	AND	NO	2007/03/16 15:39
S26	1629621	(halftone\$4 or half\$1tone or half adj tone).ab. and estimat\$4 near4 frequenc\$4 or period	US-PGPUB; USPAT	AND	NO	2007/03/16 15:41
S27	37	(halftone\$4 or half\$1tone or half adj tone).ab. and estimat\$4 near4 (frequenc\$4 or period)	US-PGPUB; USPAT	AND	NO	2007/03/22 16:31
828	223	(358/3.07 or 358/3.08).ccls.	US-PGPUB; USPAT	AND	NO	2007/03/16 16:14
S29	158	S28 and multipl\$6	US-PGPUB; USPAT	AND	NO	2007/03/16 16:16

9/17/2007 11:26:05 AM C:\Documents and Settings\Ntyler\My Documents\EAST\Workspaces\10776612.wsp

230	П	"6324305".pn.	US-PGPUB; USPAT	AND	NO	2007/03/20 13:51
S31		"5268773".pn.	US-PGPUB; USPAT	AND	NO	2007/03/20 13:51
S32	14	("5343251" "5410619" "5659399" "5729632" "5754681" "5765029" "5778156" "5828776" "6021220").PN. OR ("6229923").URPN.	US-PGPUB; USPAT; USOCR	AND	NO	2007/03/22 10:45
S33	37	(halftone\$4 or half\$1tone or half adj tone).ab. and estimat\$4 near4 (frequenc\$4 or period)	US-PGPUB; USPAT	AND	NO	2007/03/26 09:46
S34	13	S33 and weight	US-PGPUB; USPAT; USOCR	AND	NO	2007/03/22 15:41
S35	. 22	S33 and weight\$5	US-PGPUB; USPAT; USOCR	AND	N O	2007/03/22 16:16
S36	35	("4561022" "4761819" "4783840" "4811239" "4893195" "4903142" "4953013" "4962542" "5038388" "5091967" "5166810" "5239390").PN. OR ("5343309").URPN.	US-PGPUB; USPAT; USOCR	AND	NO	2007/03/22 16:17
237	23644	(halftone\$4 or half\$1tone or half adj tone) not (halftone\$4 or half\$1tone or half adj tone).ab.	US-PGPUB; USPAT	AND	NO	2007/03/22 16:30
238	241	(halftone\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or period)	US-PGPUB; USPAT	AND	NO	2007/03/27 16:03
539	241	S38 and estimat\$4 near4 (frequenc\$4 or period)	US-PGPUB; USPAT	AND	NO	2007/03/22 17:00
S40	5691	(358/1.9,3.06,3.2,534-536).CCLS.	US-PGPUB; USPAT	S.	OFF	2007/03/26 09:46
S41	0	("s33andI1").PN.	US-PGPUB; USPAT	SO.	OFF	2007/03/26 09:46
S42	37	(halftone\$4 or half\$1tone or half adj tone).ab. and estimat\$4 near4 (frequenc\$4 or period)	US-PGPUB; USPAT	AND	NO	2007/03/26 09:47
S43	11	S40 and S42	US-PGPUB; USPAT	AND	NO	2007/03/26 09:47

9/17/2007 11:26:05 AM C:\Documents and Settings\Ntyler\My Documents\EAST\Workspaces\10776612.wsp

S44	33475		US-PGPUB;	ADJ	NO	2007/03/26 09:53
		or mask\$3 or template or tile) with (estimat\$4 or determin\$5 or calculat\$3 or approximat\$3 or measur\$5 or judg\$5 or deduc\$4) with (frequenc\$4 or period)	USPAT			
	280	S40 and S44	US-PGPUB; USPAT	ADJ	NO	2007/03/26 09:52
	17619	(halfton\$4 or half\$1tone or half ton\$4 or screen\$3 or pattern or matrix or array or mask\$3 or template or tile) with (estimat\$4 or determin\$5 or calculat\$3 or approximat\$3 or measur\$5 or judg\$5 or deduc\$4) near4 (frequenc\$4 or period)	US-PGPUB; USPAT	ADJ	N O	2007/03/26 15:31
	166	S40 and S46	US-PGPUB; USPAT	ADJ	NO	2007/03/26 13:14
	46045	("35" or "382").clas.	US-PGPUB; USPAT	ADJ	N _O	2007/03/26 13:14
	698	S46 and S48	US-PGPUB; USPAT	ADJ	NO	2007/03/26 13:15
	24	S42 and S48	US-PGPUB; USPAT	ADJ	NO	2007/03/26 13:46
	388	(345/596-599).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/26 13:47
	9	S46 and S51	US-PGPUB; USPAT	AND	NO	2007/03/26 13:47
	3727	(halfton\$4 or half\$1tone or half ton\$4 or screen\$3 or pattern or matrix or array or mask\$3 or template or tile) with (estimat\$4 or determin\$5 or calculat\$3 or approximat\$3 or measur\$5 or judg\$5 or deduc\$4) near4 (frequenc\$4 or period)	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	NO	2007/03/26 15:31
	609	(halfton\$4 or half\$1tone or half ton\$4 or screen\$3) with (estimat\$4 or determin\$5 or calculat\$3 or approximat\$3 or measur\$5 or judg\$5 or deduc\$4) near4 (frequenc\$4 or period)	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	NO	2007/03/26 15:31
	29	(halfton\$4 or half\$1tone or half ton\$4 or screen\$3) with (estimat\$4) near4 (frequenc\$4 or period)	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	NO	2007/03/26 15:31

9/17/2007 11:26:05 AM C:\Documents and Settings\Ntyler\My Documents\EAST\Workspaces\10776612.wsp

S59 112 S56 and (subsampl\$4 or sub\$1sampl\$4 or sub adj sampl\$4) US-PGPUB; AND ON 2007/03/28 12-32 S59 241 (halfbnes\$4 or half adj tone) and estimat\$4 near4 (frequenc\$4 or US-PGPUB; AND period) US-PGPUB; AND DON 2007/03/28 14-35 S60 123 S59 and (subtract\$4) US-PGPUB; AND DUS-PGPUB; AND DON AND DON 2007/03/28 14-35 S61 155 S59 and (subtract\$4) US-PGPUB; AND DUS-PGPUB; AND DON AND DON 2007/03/28 14-35 S62 1 (radifore\$4 or half adj tone) and estimat\$4 near4 (frequenc\$4 or US-PGPUB; AND DON US-PGPUB; AND DON AND DON 2007/03/28 14-35 S63 1 (r6011538*).PM. US-PGPUB; AND DON US-PGPUB; AND DON AND DON 2007/03/28 17-21 S64 1380 xerographic.clm. and xerox.as. and @py<="">2007/03/28* US-PGPUB; AND DON AND DON 2007/03/28 17-21 S65 540 xerographic.clm. and xerox.as. and @py<="">2001** and @py>=""1999" US-PGPUB; AND DON ON 2007/03/28 17-23 S68 57 xerographic.clm. and xerox.as. and @py<=""2001" and @py>=""1999" US-PGPUB; AND DON ON 2007/03/28 17-23 S69 33 <	_		period)	1 X LCO			
241 (halfboneş4 or halfş1tone or half adj tone) and estimat§4 near4 (frequenc§4 or US-PGPUB; AND period) 123 SS9 and (subsampl§4 or subs1sampl§4 or sub adj sampl§4 or downsampl§4 or US-PGPUB; AND US-PAT US-PGPUB; AND DEPIOUS AND	. S57	112	S56 and (subsampl\$4 or sub\$1sampl\$4 or sub adj sampl\$4)	US-PGPUB; USPAT	AND	N O	2007/03/28 12:4:
123 559 and (subsampl\$4 or sub\$1sampl\$4 or sub adj sampl\$4) UG-PGPUB; AND ON 155 559 and (subtract\$4) UG-PGPUB; AND ON 6 (halfbone\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or US-PGPUB; US-PGPUB; AND ON 1380 xerographic.clm. US-PGPUB; AND ON 955 xerographic.clm. and xerox.as. and @py<="2002" and @py>="1995" US-PGPUB; AND ON 540 xerographic.clm. and xerox.as. and @py<="2002" and @py>="1995" US-PGPUB; AND ON 189 xerographic.clm. and xerox.as. and @py<="2001" and @py>="1999" US-PGPUB; AND ON 57 xerographic.clm. and xerox.as. and @py<="2001" and @py>="1999" US-PGPUB; AND ON 333 xerographic.clm. and xerox.as. and @py<="2001" and @py>="1999" US-PGPUB; AND ON 68 xerographic.clm. and xerox.as. and @py<="2003" and "358" clas.	S29	241		US-PGPUB; USPAT	AND	N O	2007/09/05 12:43
155 SS9 and (subtract\$4) US-PGPUB; AND ON 6 (Halftones\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or US-PGPUB; AND ON US-PGPUB; AND ON 1 ("6011538").PN. US-PGPUB; OR OFF OFF OFF OFF 1380 xerographic.clm. ud xerox.as. ud SPAT ON US-PGPUB; AND ON 540 xerographic.clm. and xerox.as. and @py<="2002" and @py>="1995" US-PGPUB; AND ON 189 xerographic.clm. and xerox.as. and @py<="2002" and @py>="1999" US-PGPUB; AND ON 57 xerographic.clm. and xerox.as. and @py<="2001" and @py>="1999" and "US-PGPUB; AND ON 57 xerographic.clm. and xerox.as. and @py<="2001" and @py>="1999" and "US-PGPUB; AND ON 57 xerographic.clm. and xerox.as. and @py<="2001" and @py>="1999" and "US-PGPUB; AND ON 58 xerographic.clm. and xerox.as. and @py<="2003" and "358" clas."	098	123	S59 and (subsampl\$4 or sub\$1sampl\$4 or sub adj sampl\$4 or downsampl\$4 or down adj sampl\$4)	US-PGPUB; USPAT	AND	NO	2007/03/28 14:56
6 (halftone\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or US-PGPUB; AND period) same subtract\$4 1 ("6011538").PN. 1380 xerographic.clm. and xerox.as. and @py<="2002" and @py>="1995" US-PGPUB; AND ON US-	S61	155	S59 and (subtract\$4)	US-PGPUB; USPAT	AND	N O	2007/03/28 14:56
1380 xerographic.clm. US-PGPUB; OR US-PAT US-PAT US-PGPUB; OR US-PGPUB. OFF 1380 xerographic.clm. and xerox.as. and @py<="2002"	S62	9		US-PGPUB; USPAT	AND	N O	2007/03/28 14:56
xerographic.dm. and xerox.as. 540 xerographic.dm. and xerox.as. and @py<=""2002" and @py>="1995" US-PGPUB; AND ON USPAT 189 xerographic.dm. and xerox.as. and @py<=""2002" and @py>="1999" US-PGPUB; AND ON USPAT 57 xerographic.dm. and xerox.as. and @py<=""2001" and @py>="1999" US-PGPUB; AND ON USPAT 33 xerographic.dm. and xerox.as. and @py<=""2001" and @py>="1999" and US-PGPUB; AND ON USPAT 58 xerographic.dm. and xerox.as. and @py<=""2003" and "358".clas. 59 (halftone\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or US-PGPUB; AND ON USPAT 69 (halftone\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or US-PGPUB; AND ON USPAT 69 (halftone\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or US-PGPUB; AND ON USPAT 69 (halftone\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or US-PGPUB; AND ON USPAT)	S63	H .	("6011538").PN.	US-PGPUB; USPAT	OR.	OFF	2007/03/28 17:23
xerographic.clm. and xerox.as. and @py<="2002" uS-PGPUB; AND US-PGPUB; A	S64	1380		US-PGPUB; USPAT	AND	NO	2007/03/28 17:21
xerographic.clm. and xerox.as. and @py<=""2002" and @py>="1995" US-PGPUB; AND ON US-PGPUB; AND US-PGPUB; AND ON US-PGPUB; AND	S9S	955	xerographic.clm. and xerox.as.	US-PGPUB; USPAT	AND	NO	2007/03/28 17:21
xerographic.clm. and xerox.as. and @py<="2002" and @py>="1995" USPGPUB; AND ON USPAT 33 xerographic.clm. and xerox.as. and @py<="2001" and @py>="1999" USPGPUB; AND ON USPAT 68 xerographic.clm. and xerox.as. and @py<="2003" and "358".clas. 7 (xerographic and photocopier).clm. and xerox.as. and @py<="2003" and @py<="2003" and @py<="2003" and @py<="0.5PGPUB; AND ON USPAT] 7 (xerographic and photocopier).clm. and xerox.as. and @py<="2003" USPGPUB; AND ON USPAT] 69 (halftone\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or USPGPUB; AND ON USPAT) 69 (halftone\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or USPGPUB; AND ON USPAT)	998	540	xerographic.clm. and xerox.as. and @py<="2002"	US-PGPUB; USPAT	AND	N O	2007/03/28 17:21
xerographic.clm. and xerox.as. and @py<="2001" and @py>="1999" 33 xerographic.clm. and xerox.as. and @py<="2001" and @py>="1999" and "SPAT 399".clas. 68 xerographic.clm. and xerox.as. and @py<="2003" and "358".clas. Cxerographic and photocopier).clm. and xerox.as. and @py<="2003" Cxerographic and xerox.as. and @py<="2003"	292	189		US-PGPUB; USPAT	AND	N O	2007/03/28 17:22
33 xerographic.clm. and xerox.as. and @py<="2001" and @py>="1999" and US-PGPUB; AND USPAT USPAT USPAT USPAT 7 (xerographic and photocopier).clm. and xerox.as. and @py<="2003" US-PGPUB; AND USPAT	898	57	@py<="2001" and	US-PGPUB; USPAT	AND	NO O	2007/03/28 17:23
 xerographic.clm. and xerox.as. and @py<="2003" and "358".clas. Xerographic and photocopier).clm. and xerox.as. and @py<="2003" US-PGPUB; AND USPAT (halftone\$4 or half\$1 tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or US-PGPUB; AND USPAT 	695	33	xerographic.clm. and xerox.as. and @py<="2001" and @py>="1999" and "399".clas.	US-PGPUB; USPAT	AND	NO.	2007/03/28 17:24
7 (xerographic and photocopier).clm. and xerox.as. and @py<="2003" US-PGPUB; AND ON USPAT 69 (halftone\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or balf\$1 and interpolat\$5	S70	89	xerographic.clm. and xerox.as. and @py<="2003" and "358".clas.	US-PGPUB; USPAT	AND	N O	2007/03/28 17:27
69 (halftone\$4 or half\$1tone or half adj tone) and estimat\$4 near4 (frequenc\$4 or US-PGPUB; AND ON period) and interpolat\$5	S71	7	(xerographic and photocopier).clm. and xerox.as. and @py<="2003"	US-PGPUB; USPAT	AND	NO	2007/03/28 17:28
	S72	69		US-PGPUB; USPAT	AND	N O	2007/09/05 12:42